

THE MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, FEBRUARY 89.

Separate paging is given to this Part in order that it may be filed as compilation.

PART IV.

Official Papers.

Season Reports for the Week ending 26th January

Rain-fall at—	Present week.	Corresponding week of last year.	Price of food grains in Rupees; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvest; serious damage done to crops by insects or other natural calamities.	Prospects of Season; traces in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore C. & M. Stn.	C.	C.		Well.	Standing crops in good condition. Paddy and sugar-cane were sown. Sugar-cane, ragi, horse-gram, cow gram, pigeon pea, groundnut were harvested.	Favorable.	Generally good. Small-pox prevalent in the Closepet Taluk.	Cattle healthy. Water and fodder sufficient.
" City & Tk...	C.	C.		Do	Standing crops in good condition.	Good.	Generally good.	Cattle disease prevalent in parts. Water and fodder abundant.
Hoskote	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Dodballapur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Nelamangala	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Kankachalli	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Megadi	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Closepet	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Anekal	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Devanhalli	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Channarayana	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Kolar	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Bowringpet	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Chintamani	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Mulbagal	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Sidlaghatta	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Chikballapur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Bagepalli	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Goribidnur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Malur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Srinivasapur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Gudibanda	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Tumkur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Maddur	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do
Chikna	L.	L.		Do	Standing crops in good condition. Harvesting c. ragi, castor beans, chillies, cow gram, pigeon pea, horse-gram, little millet, paddy and sugar-cane in progress. Paddy and sugar-	Do	Small-pox prevalent in parts.	Do do

810

[illegible]

By Order,
C. MADIAH,
Under-Secretary.

Mysore Government Central Press, Bangalore.—1889.

published by Authority.

SATURDAY FEBRUARY 16, 1889.

BANDALORE
BANGALORE

Sacramento naming is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 2nd February 1889.

Season Report for the Week ending 2nd February 1889.									
District.	Rain-fall at—	Present week.	Corresponding week of last year.	Price of food grains in seers per Rupee; and market fluctuations in the prices of food grains.		Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.		Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.
		I.	C.	This week.	Past week.	Well.	Favorable.		Public Health.
Bangalore	Bangalore C. & M. Stn.	Standing crops are in good condition. Paddy, sugar-cane, ragi, horse-gram, cow gram, pigeon pea, ground-nuts were harvested.		Generally good. Small-pox prevalent in Closepet Taluk.
	" City & Tk.
	Hoskote
	Dodballapur
	Nelamangala
	Kankanhalli
	Magadi
	Closepet
	Anekal
	Devanhalli
	Channarayana
	Kolar
	Bowringpet
	Chintamani
	Mulbagal
	Siddaghatta
	Chikballapur
	Bagelipalli
	Goribidnur
	Malur
	Srinivasapur
	Gudibanda
	Tumkur
	Maddur
	Chikmagalur
	Sira
	Gubbi

Maddagiri Chiknayakanhalli. Sira Gubbi Tiptur Pavagada Kunigal Koratagere Turuvekere Huliyar	Ragi 40 to 53 40 to 54. (<i>Eleusine corocana</i> .) Horse-gram 25 to 35 24 to 32. (<i>Cicer arietinum</i> .)	Do	Standing crops are in good condition. Paddy, Bengal-gram, pigeon pea, cow gram, sugar-cane, cotton, wheat, castor beans, ragi were harvested.	Generally good.	Generally good.	lent in parts of Gubbi.
Mysoore Chamarajanagar Sringeripattam Hunsur Yedatore Heggaddevankote. Gundlupet Nanjangud T. Narsipur Malvalli Mandya Attikuppa Naganangala	Rice 11 to 16 10 to 16. Ragi 29 to 40 29 to 40. (<i>Eleusine corocana</i> .) Horse-gram 24 to 32 24 to 32. (<i>Cicer arietinum</i> .)	Do	Standing crops are in good condition. Paddy was sown in parts. Paddy, ragi, horse-gram, cow gram, wild gingelly and coffee were harvested in a few Taluks.	Favorable.	Three cases of cholera occurred during the week in Belur.	Cattle in good condition. Water supply diminishing in parts.
Hassan Manjarabad Arkalgud Belur Channarayana. Arsikere Holé-Narsipur	Rice 15 15 Ragi 44 (<i>Eleusine corocana</i> .) Horse-gram 26 (<i>Cicer arietinum</i> .)	Do	Standing crops are in good condition. Cow gram and horse-gram were harvested. Gathering of arecanut continued. Paddy was sown in parts.	Fair.	Few cases of cholera occurred in some villages of the Shimoga Taluk.	Murrain among cattle prevalent in parts. Water and fodder not plentiful in parts.
Shimoga Channaguri Honnali Shikaripur Sorab Sagar Nager Tirthahalli Kumsi	Rice 15 to 17 15 to 16. Ragi 32 to 60 26 to 60. (<i>Eleusine corocana</i> .) Jola 37 to 48 36 to 48. (<i>Sorghum Vulgare</i> .)	Do	Standing crops are in good condition. Bengal-gram, wild gingelly, castor beans, fenugreek, horse-gram, garlic, coriander and sugar-cane were harvested.	Generally good.	Generally good.	Cattle disease prevalent in parts. Water and fodder procurable.
Chikmagalur Kadur Tarikere Koppa Mudgere Yedahalli	Rice 12 to 18 12 to 20. Ragi 28 to 48 24 to 48. (<i>Eleusine corocana</i> .) Horse-gram 16 to 25 16 to 24. (<i>Cicer arietinum</i> .)	Do	Standing crops generally in good condition. Horse-gram, Bengal-gram, chillies, pigeon pea, castor beans, wheat, sugar-cane and paddy were harvested in parts. Paddy and tobacco were sown in parts.	Do	Do	Murrain among cattle prevalent in parts. Fodder sufficient.
Chitaldroog Challakere Hiriyur Holakere Davangere Molakalmuru Jagalur Hosdurga	Rice 11 to 15 11 to 14. Ragi 42 to 66 42 to 64. (<i>Eleusine corocana</i> .) Jola 36 to 50 32 to 48. (<i>Sorghum Vulgare</i> .)	Do				

8/2

Season Report for the Week ending 9th February 1889.

District.	Rain-fall at— Sta.	Present week.	Correspond- ing week of last year.	Price of food grains in seers per Rupce; and market fluctuations in the prices of food grains.		Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; trials in which the rain-fall has been insufficient; areas affect- ed by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the con- dition of agricultural stock, of pasturage or fodder.
Bangalore	Bangalore C. & M. Sta.	C.	C.	This week.	Past week.	Well.	Standing crops in good condition. Sugar- cane and paddy were sown. Sugar-cane, ragi, horse-gram, cow-gram and pigeon pea were harvested.	Favorable.	Generally good. Small-pox prevalent in Closepet Taluk.	Cattle healthy. Wa- ter and fodder abun- dant. Cattle disease in p
	" City & Tk...	L	L	10½	10½					
	Hoskote	L	L	30	30					
	Dodballapur	L	L	(Eleusine corocana.)						
	Nelamangala	L	L	Horse-gram	23.					
	Kankanhalli	L	L	(Ciser arictinum.)						
	Magadi	L	L							
	Closepet	L	L							
	Anekal	L	L							
	Devanhalli	L	L							
Kolar	Channarayana	L	L							
	Kolar	L	L	Rice 12 to 14 12½ to 14.		Do	Standing crops in good condition.	Good.	Good.	Water and fodder abun- dant. Cattle disease in p
	Bowringpet	L	L	Ragi 32 to 44 32 to 44.						
	Chintamani	L	L	(Eleusine corocana.)						
	Mulbagal	L	L	Horse-gram	19½ to 25 20 to 24.					
	Siddaghatta	L	L	(Ciser arictinum.)						
	Chikballapur	L	L							
	Bagepalli	L	L							
	Goribidnur	L	L							
	Malur	L	L							
Tumkur	Srinivasapur	L	L							
	Gudbarga	L	L							
	Tumkur	L	L	Rice 12 to 15½ 12 to 15½.		Do	Standing crops in good condition generally.	Do	Do	Do
	Maddur	L	L	Ragi 40 to 50; 40 to 53.			Paddy, cow-gram, castor beans, chillies, horse-gram, sugar-cane and wild gingelly were har-vested. Out-turn 2 to 8 annas; Paddy and sugar-cane sown in parts.			
	Chiknayakanhalli.	L	L	(Eleusine corocana.)						
	Sira	L	L	Horse-gram	25 to 32 25 to 35.					
	Gubbi	L	L	(Ciser arictinum.)						
	Tiptur	L	L							
	Pavagada	L	L							
	Kunigal	L	L							
Mysore	Koratagere	L	L							
	Turuvekere	L	L							
	Huliyar	L	L							
	Mysore	L	L	Rice 11 to 15 11 to 16.		Do	Standing crops in good condition. Paddy, pigeon pea, cow-gram, ragi, Bengal-gram, castor beans, wild gingelly and horse-gram were harvested.	Fair.	Do	Cattle disease preva- lent. Water and fodder sufficient.

518

Yedatore	gram 22 to 32 20 to 32.	Do	Standing crops thriving well. Castor-beans, coriander, and onions were harvested. Sugar-cane and paddy were sown.	Favorable.	Generally good.	Do
Heggaddevankote.	(<i>Ciser arifetinum.</i>)					
Gundlupet						
Nanjangud						
T. Narsipur						
Malvalli						
Mandya						
Attikuppa						
Naganangala						
Hassan						
Manjarabad						
Arkalgud						
Belur						
Channarayana						
Arsikere						
Hole-Narsipur						
Shimoga						
Channagiri						
Honnali						
Shikarjpur						
Sorab						
Sagar						
Nagar						
Tirthahalli						
Kumsi						
Chikmagalur						
Kadur						
Tarikere						
Koppa						
Mudgere						
Yedahalli						
Chitaldroog						
Challakere						
Hiriyur						
Holalkere						
Davangere						
Molakalmuru						
Jagalur						
Hoedurga						

By Order,
C. MADIAH,
Under-Secretary.